



Safety Turf, Inc

P.O. Box 908, Royersford, PA 19468

1-800-804-4595

www.safetyturf.com

info@safetyturf.com

Request for PIP Surface Estimate

Instructions: Please complete this form to the extent possible. This will help facilitate a speedy estimate for your PIP safety surface. If there are any questions, please contact Carl Sanderson at Safety Turf, Inc.

Contractor or Owner:

Company:							Date:			
Street Address:					City:			State:		
Contact:				Phone #:				Email:		

Site Location Details:

Name:							Prevailing Wage (Yes or No) (*):			
Street Address:					City:			State:		
Contact:				Phone #:				Email:		
Drawing Provided (Yes or No):		If Yes, Format Available? (Prefer .pdf and .dwg or .dxf):				Estimated Start Date for Surface:				

(*) If Prevailing Wage, send prevailing wage rate sheets if available.

General Comments:

Issued By: SJS

Rev. A

Approved By: CJS

ST-Proj-Est-Rubber

Effective Date: 08/24/2023

Page 1 of 4



Safety Turf, Inc

P.O. Box 908, Royersford, PA 19468

1-800-804-4595

www.safetyturf.com

info@safetyturf.com

Play Area Details:

Area 1:

SUBBASE:	Concrete	Asphalt	Stone(*)	Overlay	EDGE:	Bevel	Bullnose	Flush	Footer	Area (sq.ft.):	
Fall Height (Feet) or PIP System Thickness (Inch):					WEAR LAYER BINDER:			Aromatic (Std)	Aliphatic		

(*) If Stone, must be compacted ¾" clean and 4" minimum thickness

Area 2:

SUBBASE:	Concrete	Asphalt	Stone(*)	Overlay	EDGE:	Bevel	Bullnose	Flush	Footer	Area (sq.ft.):	
Fall Height (Feet) or PIP System Thickness (Inch):					WEAR LAYER BINDER:			Aromatic (Std)	Aliphatic		

(*) If Stone, must be compacted ¾" clean and 4" minimum thickness

Area 3:

SUBBASE:	Concrete	Asphalt	Stone(*)	Overlay	EDGE:	Bevel	Bullnose	Flush	Footer	Area (sq.ft.):	
Fall Height (Feet) or PIP System Thickness (Inch):					WEAR LAYER BINDER:			Aromatic (Std)	Aliphatic		

(*) If Stone, must be compacted ¾" clean and 4" minimum thickness

Area 4:

SUBBASE:	Concrete	Asphalt	Stone(*)	Overlay	EDGE:	Bevel	Bullnose	Flush	Footer	Area (sq.ft.):	
Fall Height (Feet) or PIP System Thickness (Inch):					WEAR LAYER BINDER:			Aromatic (Std)	Aliphatic		

(*) If Stone, must be compacted ¾" clean and 4" minimum thickness



Safety Turf, Inc

P.O. Box 908, Royersford, PA 19468

1-800-804-4595

www.safetyturf.com

info@safetyturf.com

Color:

AREA 1:

TPV Standard								TPV Premium										
RH01	RH10	RH11	RH12	RH20	RH22	RH30	RH61	RH02	RH21	RH23	RH26	RH31	RH32	RH40	RH41	RH50	RH60	RH65
Red	Green	Brt Green	Drk Green	Blue	Lgt Blue	Beige	Lgt Grey	Brt Red	Purple	Azure	Turquoise	Cream	Brown	Mustard Yellow	Brt Yellow	Orange	Drk Grey	Pale Grey
EPDM Standard						EPDM Premium												
000	180	210	410	460	560	100	200	240	280	340	380	540	550	570	580			
Red	Sky Blue	Beige	May Green	Signal Green	Rainbow Green	Blue Grey	Brt Yellow	Egg-shell	Brown	Purple	Lgt Grey	Turquoise Blue	Orange	Earth Yellow	Teal			

Check Here if want 50% Black Mixed With Color-->	Custom Mix, enter details:
--	-----------------------------------

AREA 2:

TPV Standard								TPV Premium										
RH01	RH10	RH11	RH12	RH20	RH22	RH30	RH61	RH02	RH21	RH23	RH26	RH31	RH32	RH40	RH41	RH50	RH60	RH65
Red	Green	Brt Green	Drk Green	Blue	Lgt Blue	Beige	Lgt Grey	Brt Red	Purple	Azure	Turquoise	Cream	Brown	Mustard Yellow	Brt Yellow	Orange	Drk Grey	Pale Grey
EPDM Standard						EPDM Premium												
000	180	210	410	460	560	100	200	240	280	340	380	540	550	570	580			
Red	Sky Blue	Beige	May Green	Signal Green	Rainbow Green	Blue Grey	Brt Yellow	Egg-shell	Brown	Purple	Lgt Grey	Turquoise Blue	Orange	Earth Yellow	Teal			

Check Here if want 50% Black Mixed With Color-->	Custom Mix, enter details:
--	-----------------------------------

Issued By: SJS

ST-Proj-Est-Rubber

Effective Date: 08/24/2023

Rev. A

Approved By: CJS

Manufacturer and Installer of Safety Turf Poured-in-Place Rubber Surfacing Systems

Page 3 of 4



Safety Turf, Inc

P.O. Box 908, Royersford, PA 19468

1-800-804-4595

www.safetyturf.com

info@safetyturf.com

Color:

AREA 3:

TPV Standard								TPV Premium										
RH01	RH10	RH11	RH12	RH20	RH22	RH30	RH61	RH02	RH21	RH23	RH26	RH31	RH32	RH40	RH41	RH50	RH60	RH65
Red	Green	Brt Green	Drk Green	Blue	Lgt Blue	Beige	Lgt Grey	Brt Red	Purple	Azure	Turquoise	Cream	Brown	Mustard Yellow	Brt Yellow	Orange	Drk Grey	Pale Grey

EPDM Standard						EPDM Premium										
000	180	210	410	460	560	100	200	240	280	340	380	540	550	570	580	
Red	Sky Blue	Beige	May Green	Signal Green	Rainbow Green	Blue Grey	Brt Yellow	Egg-shell	Brown	Purple	Lgt Grey	Turquoise Blue	Orange	Earth Yellow	Teal	

Check Here if want 50% Black Mixed With Color-->	Custom Mix, enter details:
--	-----------------------------------

AREA 4:

TPV Standard								TPV Premium										
RH01	RH10	RH11	RH12	RH20	RH22	RH30	RH61	RH02	RH21	RH23	RH26	RH31	RH32	RH40	RH41	RH50	RH60	RH65
Red	Green	Brt Green	Drk Green	Blue	Lgt Blue	Beige	Lgt Grey	Brt Red	Purple	Azure	Turquoise	Cream	Brown	Mustard Yellow	Brt Yellow	Orange	Drk Grey	Pale Grey

EPDM Standard						EPDM Premium										
000	180	210	410	460	560	100	200	240	280	340	380	540	550	570	580	
Red	Sky Blue	Beige	May Green	Signal Green	Rainbow Green	Blue Grey	Brt Yellow	Egg-shell	Brown	Purple	Lgt Grey	Turquoise Blue	Orange	Earth Yellow	Teal	

Check Here if want 50% Black Mixed With Color-->	Custom Mix, enter details:
--	-----------------------------------

Issued By: SJS

Rev. A

Approved By: CJS

ST-Proj-Est-Rubber

Effective Date: 08/24/2023

Manufacturer and Installer of Safety Turf Poured-in-Place Rubber Surfacing Systems

Page 4 of 4