Safety Turf, Inc
P.O. Box 908, Royersford, PA 19468
1-800-804-4595
www.safetyturf.com
info@safetyturf.com

Request for PIP Surface Estimate

Instructions: Please complete this form to the extent possible. This will help facilitate a speedy estimate for your PIP safety surface. If there are any questions, please contact Carl Sanderson at Safety Turf, Inc.

Contractor or Owner:

Company:						Date:	
Street Address:		City:		State:		Zip:	
Contact:		Phone #:		Email:			

Site Location Details:

Name:						Prevailing Wage (Yes or No): (*)	
Street Address:		City:		State:		Zip:	
Contact:		Phone #:		Email:			
Drawing Provided (Yes or No):		If Yes, Format Available? (Prefer .pdf and .dwg or .dxf):		Estimated Ready Date for Surface:			

(*) If Prevailing Wage, send prevailing wage rate sheet if available.

General Comments:

Manufacturer and Installer of Safety Turf Poured-in-Place Rubber Surfacing Systems

Safety Turf, Inc
P.O. Box 908, Royersford, PA 19468
1-800-804-4595
www.safetyturf.com
info@safetyturf.com

Play Area Details:

Area 1:

SUBBASE:	Concrete		Asphalt		Stone(*)		Overlay		**EDGE:**	Bevel		Bullnose		Flush		Footer		**Area (sq.ft.):**	
Fall Height (Feet) or PIP System Thickness (Inch):									**WEAR LAYER BINDER:**	Aromatic (Std)				Aliphatic					

(*) If Stone, must be compacted ¾" clean and 4" minimum thickness

Area 2:

SUBBASE:	Concrete		Asphalt		Stone(*)		Overlay		**EDGE:**	Bevel		Bullnose		Flush		Footer		**Area (sq.ft.):**	
Fall Height (Feet) or PIP System Thickness (Inch):									**WEAR LAYER BINDER:**	Aromatic (Std)				Aliphatic					

(*) If Stone, must be compacted ¾" clean and 4" minimum thickness

Area 3:

SUBBASE:	Concrete		Asphalt		Stone(*)		Overlay		**EDGE:**	Bevel		Bullnose		Flush		Footer		**Area (sq.ft.):**	
Fall Height (Feet) or PIP System Thickness (Inch):									**WEAR LAYER BINDER:**	Aromatic (Std)				Aliphatic					

(*) If Stone, must be compacted ¾" clean and 4" minimum thickness

Area 4:

SUBBASE:	Concrete		Asphalt		Stone(*)		Overlay		**EDGE:**	Bevel		Bullnose		Flush		Footer		**Area (sq.ft.):**	
Fall Height (Feet) or PIP System Thickness (Inch):									**WEAR LAYER BINDER:**	Aromatic (Std)				Aliphatic					

(*) If Stone, must be compacted ¾" clean and 4" minimum thickness

Safety Turf, Inc
P.O. Box 908, Royersford, PA 19468
1-800-804-4595
www.safetyturf.com
info@safetyturf.com

POURED-IN-PLACE
RESILIENT SURFACE

Color:

AREA 1:

TPV Standard								TPV Premium									
RH01	RH10	RH11	RH12	RH20	RH22	RH30	RH61	RH02	RH21	RH23	RH26	RH31	RH32	RH40	RH41	RH50	RH60	RH65
Red	Green	Brt Green	Drk Green	Blue	Lgt Blue	Beige	Lgt Grey	Brt Red	Purple	Azure	Turqu-oise	Cream	Brown	Mustard Yellow	Brt Yellow	Orange	Drk Grey	Pale Grey

EPDM Standard						EPDM Premium											
000	180	210	410	460	560	100	200	240	280	290	340	380	470	540	550	570	580
Red	Sky Blue	Beige	May Green	Signal Green	Rainbow Green	Blue Grey	Brt Yellow	Egg-shell	Brown	Pearl	Purple	Lgt Grey	Reseda Green	Turquoise Blue	Orange	Earth Yellow	Teal

Check Here if want 50% Black Mixed With Color-->		Custom Mix, enter details:	

AREA 2:

TPV Standard								TPV Premium									
RH01	RH10	RH11	RH12	RH20	RH22	RH30	RH61	RH02	RH21	RH23	RH26	RH31	RH32	RH40	RH41	RH50	RH60	RH65
Red	Green	Brt Green	Drk Green	Blue	Lgt Blue	Beige	Lgt Grey	Brt Red	Purple	Azure	Turqu-oise	Cream	Brown	Mustard Yellow	Brt Yellow	Orange	Drk Grey	Pale Grey

EPDM Standard						EPDM Premium											
000	180	210	410	460	560	100	200	240	280	290	340	380	470	540	550	570	580
Red	Sky Blue	Beige	May Green	Signal Green	Rainbow Green	Blue Grey	Brt Yellow	Egg-shell	Brown	Pearl	Purple	Lgt Grey	Reseda Green	Turquoise Blue	Orange	Earth Yellow	Teal

Check Here if want 50% Black Mixed With Color-->		Custom Mix, enter details:	

Safety Turf, Inc
P.O. Box 908, Royersford, PA 19468
1-800-804-4595
www.safetyturf.com
info@safetyturf.com

POURED-IN-PLACE RESILIENT SURFACE

Color:

AREA 3:

TPV Standard								TPV Premium									
RH01	RH10	RH11	RH12	RH20	RH22	RH30	RH61	RH02	RH21	RH23	RH26	RH31	RH32	RH40	RH41	RH50	RH60	RH65
Red	Green	Brt Green	Drk Green	Blue	Lgt Blue	Beige	Lgt Grey	Brt Red	Purple	Azure	Turqu-oise	Cream	Brown	Mustard Yellow	Brt Yellow	Orange	Drk Grey	Pale Grey

EPDM Standard						EPDM Premium											
000	180	210	410	460	560	100	200	240	280	290	340	380	470	540	550	570	580
Red	Sky Blue	Beige	May Green	Signal Green	Rainbow Green	Blue Grey	Brt Yellow	Egg-shell	Brown	Pearl	Purple	Lgt Grey	Reseda Green	Turquoise Blue	Orange	Earth Yellow	Teal

Check Here if want 50% Black Mixed With Color--> ☐ **Custom Mix, enter details:**

AREA 4:

TPV Standard								TPV Premium									
RH01	RH10	RH11	RH12	RH20	RH22	RH30	RH61	RH02	RH21	RH23	RH26	RH31	RH32	RH40	RH41	RH50	RH60	RH65
Red	Green	Brt Green	Drk Green	Blue	Lgt Blue	Beige	Lgt Grey	Brt Red	Purple	Azure	Turqu-oise	Cream	Brown	Mustard Yellow	Brt Yellow	Orange	Drk Grey	Pale Grey

EPDM Standard						EPDM Premium											
000	180	210	410	460	560	100	200	240	280	290	340	380	470	540	550	570	580
Red	Sky Blue	Beige	May Green	Signal Green	Rainbow Green	Blue Grey	Brt Yellow	Egg-shell	Brown	Pearl	Purple	Lgt Grey	Reseda Green	Turquoise Blue	Orange	Earth Yellow	Teal

Check Here if want 50% Black Mixed With Color--> ☐ **Custom Mix, enter details:**